


SCREW PRODUCTS INC.

The Ultimate Wood Screw



Order Now Toll Free:

1 (877) 844-8880

www.screw-products.com



Our "Star Drive" provides twice the torque of Phillips or square drive screws and gives a longer bit life. It also reduces camout and end load and virtually eliminates stripping and fastener damage.



Convenient Packaging!

Most Products Are Available in 1lb & 5lb Jars And Bulk Containers!



Assortment Kits Page 10

Same Day Shipping!



Bits & Holders Page 8

Head	Screw	Description	Sizes	Page
		"Silver Star" Stainless Steel	1-1/2" to 4"	2, 6
		"Silver Star" Stainless Trim Head	1-5/8" to 4"	2, 6
		Reamer Tek Wood to Steel	1-5/8" to 3-1/4"	2
		"Bronze Star" Exterior Use	1-1/4" to 6"	3, 6
		"Bronze Star" Exterior Trim Head	1-5/8" to 5"	3, 6
		"Bronze Star" Exterior Finish Head	1-5/8" to 3"	3, 6
		"Gold Star" Zinc Coated	1 to 14"	4
		"Gold Star" Finish Head	1-5/8" to 3"	4
		Coated Gutter Screws	7"	5
		Coated Cement Board (Phillips)	1-1/4" to 1-5/8"	5
		"C-Deck" Stainless Deck Screws	2-1/2" to 3"	7
		"C-Deck" Coated Deck Screws	2-1/2" to 3"	7
		"C-Deck" Fascia, Fence & Rail	1-3/4"	7
		Pocket Screws Fine/Coarse Thread	1-1/4" to 1-1/2"	8
		"Bronze Star" 1/4" x Lag	1" to 6"	9
		"Bronze Star" 5/16" x Lag	2-1/2" to 6"	9
		"Bronze Star" 3/8" x Lag	7" to 12"	9
		"Bronze Star" Modified Truss Head	1-1/4" to 2-1/2"	9
		"Gold Star" Zinc Coated Cabinet	2-1/2" to 3"	9

New Scrai™ Collated Fasteners Page 12



Deck Clip Hidden Deck Fastener Pg 8

Screw Products, Inc.
 9401 - 54th Ave NW, Bldg 1B
 Gig Harbor, WA 98332
 Email: info@screw-products.com
 Phone: (253) 853-8880
 FAX: (253) 853-8881

TigerClaw
 Hidden Deck Fasteners

Tiger Claw Deck Fasteners Pg 5

“Silver Star” 305 Stainless Steel Star Drive Screws

For all coastal or corrosive environments, areas exposed to weather and high moisture; decking, docks, etc.

- ★ Excellent For Cedar, Redwood, & Coastal Applications.
- ★ ACQ Compatible
- ★ Type 305 Stainless Steel
- ★ Deep Six Lobe Drive
- ★ Extra Sharp Type 17 Auger Point
- ★ True Flat Head With Nibs
- ★ Deep, Wide, Sharp Threads



.32” - .38” Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
SSTX-08114	#8 x 1-1/4"	T20	38 lbs.	9,000	1,200	240
SSTX-08112	#8 x 1-1/2"	T20	33 lbs.	6,500	1,000	200
SSTX-08200	#8 x 2"	T20	22.7 lbs.	3,500	760	152
SSTX-09158	#9 x 1-5/8"	T25	24.5 lbs.	4,000	750	150
SSTX-09200	#9 x 2"	T25	22.5 lbs.	3,000	635	127
SSTX-09212	#9 x 2-1/2"	T25	23 lbs.	2,500	520	104
SSTX-09300	#9 x 3"	T25	21.5 lbs.	2,000	445	89
SSTX-10212	#10 x 2-1/2"	T25	28.5 lbs.	2,500	430	86
SSTX-10300	#10 x 3"	T25	24 lbs.	1,500	365	73
SSTX-10312	#10 x 3-1/2"	T25	19.5 lbs.	1,000	320	64
SSTX-10400	#10 x 4"	T25	17 lbs.	1,000	280	56

“Silver Star” Trim Head 305 Stainless Steel Star Drive

Less obtrusive with great holding power. For coastal or corrosive environments: siding, fascia, decking, docks, etc.

- ★ Same Features As Our Standard “Silver Star” Screws But With a .26” Head Diameter
- ★ Great for Wood or Composite Decking, Rail & Fence
- ★ Long Length Great For Log Siding



.26” Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
SSTH-09158	#9 x 1-5/8"	T20	23 lbs.	4,000	835	170
SSTH-09214	#9 x 2-1/4"	T20	20 lbs.	2,500	625	125
SSTH-09212	#9 x 2-1/2"	T20	22 lbs.	2,500	553	110
SSTH-09300	#9 x 3"	T20	21.5 lbs.	2,000	455	91
SSTH-09400	#9 x 4"	T20	23 lbs.	1,500	341	68

“The screws lived up to your advertised claims in spades! I am very pleased with their quality. Other stainless screws were constantly torquing out. I wasted considerable money on mutilated screw heads. Not one of your screws failed to drive true 1st time - no waste!”

Reamer Tek Wood To Steel “Star Drive” Screws


- ★ Excellent For Truck and Trailer Beds
- ★ Flat Head
- ★ Reamer Wings
- ★ Shank Slot
- ★ Zinc Plated
- ★ Hardened Steel
- ★ For up to 1/4” thick steel with no predrilling




Item Number	Size	Drill Point	Head Diam	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty
FHD10158	10-16 x 1-5/8"	#3	.361"	T25	35.7lbs.	4,000	575
FHD12200	12-24 x 2"	#4	.396"	T25	31.8lbs.	2,000	345
FHD12212	12-24 x 2-1/2"	#4	.396"	T25	29.5lbs.	1,500	280
FHD14234	14-20 x 2-3/4"	#4	.49"	T30	27.5lbs.	1,000	150
FHD14314	14-20 x 3-1/4"	#4	.49"	T30	33.2lbs.	1,000	110
Drilling Capacity							
FHD10158	10-16 x 1-5/8"	7/8" wood to .175 metal					
FHD12200	12-24 x 2"	1-1/8" wood to .210 metal					
FHD12212	12-24 x 2-1/2"	1-1/4" wood to .210 metal					
FHD14234	14-20 x 2-3/4"	1-1/2" wood to .250 metal					
FHD14314	14-20 x 3-1/4"	2" wood to .250 metal					


About Our ACQ Compatible Coating

The SKTII coating on Screw Products, Inc.'s coated fasteners has been designed to protect against the corrosive qualities of chemically pressure treated lumber such as ACQ, CCA, and more. This coating is called SKTII. It is a proprietary material and method of application that has shown over **1200 hours corrosion resistance** in BOTH ACQ and salt spray conditions. SKTII also exhibits outstanding abrasion resistance. We also believe that this is the best available coating for construction screws.

"Bronze Star" Exterior Use Star Drive Wood Screws								
<ul style="list-style-type: none"> ★ For All Exterior Uses, Decking, Fencing, & More! ★ ACQ Compatible Coating ★ Flat Head with 16 Nibs for easy self countersinking ★ Extra Sharp type 17 Auger Point ★ Large Knurled Shank ★ Deep, Wide, Sharp Threads ★ Heat Treated, Hardened Steel 			.32" - .38" Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	BTX-08114	#8 x 1-1/4"	T20	39lbs.	9,000	1,155	231	
	BTX-08112	#8 x 1-1/2"	T20	34lbs.	6,500	955	191	
	BTX-08134	#8 x 1-3/4"	T20	24lbs.	4,000	950	190	
	BTX-08200	#8 x 2"	T20	23.5lbs.	3,500	745	149	
	BTX-09200	#9 x 2"	T25	24.3lbs.	3,000	645	133	
	BTX-09212	#9 x 2-1/2"	T25	25.5lbs.	2,500	545	109	
	BTX-09234	#9 x 2-3/4"	T25	23.5lbs.	2,000	490	98	
	BTX-09300	#9 x 3"	T25	22.5lbs.	2,000	450	90	
	#10 x Heavy Duty							
	HDB2	#10 x 2"	T25	25.7lbs.	2,500	486	97	
	HDB212	#10 x 2-1/2"	T25	25.4lbs.	2,000	395	79	
	HDB3	#10 x 3"	T25	23lbs.	1,500	325	66	
	HDB312	#10 x 3-1/2"	T25	18.5lbs.	1,000	270	54	
	HDB104	#10 x 4"	T25	20.7lbs.	1,000	240	48	
HDB105	#10 x 5"	T25	20lbs.	750	195	39		
HDB106	#10 x 6"	T25	19lbs.	600	165	33		

Since I discovered your screws some 4 years ago, I use nothing else. They are without a doubt the finest woodworking screws I have ever used. I recently made a gift of a 5# jar of exterior screws to a friend of mine that has a small business making carved wooden gates to order and she couldn't wait to call and tell me how very pleased she was with your product. Needless to say, she will be another of your satisfied customers





"Bronze Star" Trim Head Star Drive Wood Screws							
<ul style="list-style-type: none"> ★ ACQ Compatible Coating ★ For All Exterior Uses ★ Knurled Shank ★ Deep, Wide, Sharp Threads ★ Type 17 Auger Point ★ Hardened Steel ★ Long Life ★ Use for Fencing, Decks, Trim, Fascia, Finish Work and More! 			.24" Head Diameter				
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
	THBTX-09158	#9 x 1-5/8"	T20	22lbs	4,000	905	181
	THBTX-09200	#9 x 2"	T20	21lbs	3,000	710	142
	THBTX-09212	#9 x 2-1/2"	T20	22.5lbs	2,500	555	111
	THBTX-09300	#9 x 3"	T20	21.4lbs	2,000	470	94
	THBTX-09400	#9 x 4"	T20	23lbs	1,500	325	65
	THBTX-09500	#9 x 5"	T20	20lbs	1,500	277	56

"Bronze Star" #7 x Exterior Use Finish Screws							
<ul style="list-style-type: none"> ★ Smallest "Star Drive" Trim Head Available! ★ Type 17 auger point ★ Deep, Wide, Sharp Threads ★ Knurled Shank ★ Heat Treated, Hardened Steel 			.20" Head Diameter				
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
	FSC7158	#7 X 1-5/8"	T10	23 lbs	5,500	1,195	239
	FSC72	#7 X 2"	T10	21 lbs	4,000	950	190
	FSC7212	#7 X 2-1/2"	T10	21.1 lbs	3,000	710	142
FSC73	#7 X 3"	T10	21.2 lbs	2,500	590	118	

Screw Products, Inc. • Toll Free 1-877-844-8880 • www.screw-products.com

*Approximate Weight • 9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • info@screw-products.com

"Gold Star" Multipurpose Star Drive Wood Screws

	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty		
<ul style="list-style-type: none"> ★ Type 17 auger point ★ Deep, Wide, Sharp Threads ★ Knurled Shank ★ Hardened Steel 							.20" Head Diameter		
	FS7158	#7 X 1-5/8"	T10	23 lbs	5,500	1,195	239		
	FS72	#7 X 2"	T10	21 lbs	4,000	950	190		
	FS7212	#7 X 2-1/2"	T10	21.1 lbs	3,000	710	142		
	FS73	#7 X 3"	T10	21.2 lbs	2,500	590	118		
<ul style="list-style-type: none"> ★ Yellow Zinc Coating ★ Self Counter-sinking ★ Flat Head with 16 Nibs (up to HDY106) ★ Extra Sharp Type 17 Auger Point ★ Knurled Shank on #8 x 1-3/4" through HDY #10 x 6" ★ Deep, Wide, Sharp Threads ★ Hardened Steel ★ #14 & #15 Screws Do Not Have A Type 17 Point or Knurled Shoulder, And Have 5 Cutting Nibs. 							.32" - .38" Head Diameter		
	YTX-08100	#8 x 1"	T20	36.5 lbs.	10,000	1,515	303		
	YTX-08114	#8 x 1-1/4"	T20	38.5 lbs.	9,000	1,155	231		
	YTX-08112	#8 x 1-1/2"	T20	33 lbs.	6,500	985	197		
	YTX-08134	#8 x 1-3/4"	T20	23.8 lbs.	4,000	950	190		
	YTX-08200	#8 x 2"	T20	23.5 lbs.	3,500	760	152		
	YTX-08212	#8 x 2-1/2"	T20	20.5 lbs.	2,500	675	135		
	YTX-09200	#9 x 2"	T25	24.3 lbs.	3,000	665	133		
	YTX-09212	#9 x 2-1/2"	T25	25 lbs.	2,500	545	109		
	YTX-09234	#9 x 2-3/4"	T25	22.5 lbs.	2,000	490	98		
	YTX-09300	#9 x 3"	T25	23.5 lbs.	2,000	450	90		
	#10 x "Gold Star" Multipurpose Heavy Duty								
							.38" Head Diameter		
HDY112	#10 x 1-1/2"	T25	23 lbs.	3,000	650	130			
HDY2	#10 x 2"	T25	25.7 lbs.	2,500	485	97			
HDY212	#10 x 2-1/2"	T25	25.4 lbs.	2,000	395	79			
HDY3	#10 x 3"	T25	23 lbs.	1,500	435	65			
HDY312	#10 x 3-1/2"	T25	18.5 lbs.	1,000	270	54			
HDY104	#10 x 4"	T25	20.7 lbs.	1,000	240	48			
HDY105	#10 x 5"	T25	20 lbs.	750	188	38			
HDY106	#10 x 6"	T25	18.5 lbs.	600	163	33			
#14 x - #15 x "Gold Star" Extra Long #14 Head Diameter .46" #15 Head Diameter .5"									
									
YTX-14500	#14 x 5"	T30	16.9 lbs.	500	145	29			
YTX-14512	#14 x 5-1/2"	T30	18.4 lbs.	500	140	28			
YTX-14600	#14 x 6"	T30	20 lbs.	500	125	25			
YTX-14700	#14 x 7"	T30	23.25 lbs.	500	110	22			
YTX-14800	#14 x 8"	T30	25.5 lbs.	500	100	20			
YTX-15100	#15 x 10"	T30	20.3 lbs.	250	73	14			
YTX-15120	#15 x 12"	T30	24.3 lbs.	250					
YTX-15140	#15 x 14"	T30	29 lbs.	250					

"I ordered the star screws because I got tired of cam out and they sure solved the problem. Additionally they stay on the bit so I can get them down to start the screw - a great time saver."

7" Gutter Screws, Ceramic Coated Star Drive

- * #14 x 7"
- * Ceramic Coated
- * Deep, Wide, Sharp Threads
- * Available in Brown or White



.425" Head Diameter

Item Number	Size	Drive	Net Wt*	Carton Qty	Jar Qty	Other Qty
GTR147B	#14 x 7"	T30	16 lbs	250	50	Each
GTR147W	#14 x 7"	T30	16 lbs	250	50	Each

Cement Board Screws, Ceramic Coated (Phillips)

- * Sharp Point and Deep Sharp Threads
- * Great for use with all cement boards



.409" Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty
CB114S	#8 x 1-1/4"	#2	31.5 lbs	5,000	833
CB158S	#8 x 1-5/8"	#2	31.5 lbs	4,000	667

Tapcon Masonry Screws (Phillips) 100ct Box

- * Advanced Thread-form Technology - Less torque required
- * Blue Climaseal (R) long life coating
- * Fast, easy installation - removeable



3/16" Screw Head Diameter .35"
1/4" Screw Head Diameter .454"

Item Number	Size	Drive	Net Wt*	
PHF3314	3/16 x 3-1/4"	Phillips	2 lbs	(includes 5/32" Drill Bit)
PHF4314	1/4 x 3-1/4"	Phillips	3 lbs	(includes 3/16" Drill Bit)

Deck2Wall Spacers™



Deck2Wall Spacers are designed to easily and efficiently provide airspace between buildings and deck ledgers, stair stringers, shade structures, railing posts, fence posts, etc. to help prevent rot. See www.screw-products.com for more info!

#D2W

Tiger Claw Hidden Deck Fastener



Tiger Claw Hidden Deck Fasteners' unique patented design produces a smooth "nail free" surface to emphasize the beauty of the wood. Tiger Claw Hidden Deck Fasteners were developed by a builder frustrated with the expense and back-breaking labor of other hidden fastening systems. With a free installation block in every box, Tiger Claw Hidden Deck Fasteners install faster and easier. With all work done from the top, you can save on labor costs as compared to most competitors' hidden fastener installations. Constructed from heavy gauge stainless steel, strength and durability are assured. Tiger Claw hidden deck fasteners offer outstanding hold-down power for woods, synthetic and composite decking materials. They allow the beauty of the deck to be preserved and reduce splitting, splintering, cupping and rotting. With Tiger Claw hidden deck fasteners you can create a better looking, longer lasting, safer deck at an affordable price!

Item #	Description	90ct Covers	90ct	900ct	1,400ct	Master Pak
TC-1S	Softwood Hidden Deck Fastener	50Sq Ft	*			*
TC-2S	Softwood Hidden Deck Fastener	50Sq Ft	*	*		*
TC-3S	Composite Hidden Deck Fastener	50Sq Ft	*	*		*
TC-4S	Hardwood Hidden Deck Fastener	35 Sq Ft	*		*	*
ProClip	Cellular PVC Hidden Deck Fastener	50Sq Ft	*		*	*
TC-G	Grooved Board Hidden Deck Fastener	50Sq Ft	*			*
TC-120	Hidden Fastener for 3/4" Tropical Hardwood	50Sq Ft	*			*

Screw Products, Inc. • Toll Free 1-877-844-8880 • www.screw-products.com

*Approximate Weight • 9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • info@screw-products.com

Decking Screws

"Silver Star" 305 Stainless Steel Star Screws

- * Excellent For Redwood, Cedar, & Coastal Environments.
- * ACQ Compatible
- * Type 305 Stainless Steel
- * Deep Six Lobe Drive
- * Extra Sharp Type 17 Auger Point
- * True Flat Head With Nibs
- * Deep, Wide, Sharp Threads



.32" - .38" Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
SSTX-09212	#9 x 2-1/2"	T25	23 lbs.	2,500	520	104
SSTX-09300	#9 x 3"	T25	21.5 lbs.	2,000	445	89
SSTX-10212	#10 x 2-1/2"	T25	28.5 lbs.	2,500	430	86
SSTX-10300	#10 x 3"	T25	24 lbs.	1,500	365	73

Trim Head 305 Stainless Steel Deck Screws .26" Head Diameter



.26" Head Diameter

SSTH-09212	#9 x 2-1/2"	T20	22 lbs.	2,500	553	110
SSTH-09300	#9 x 3"	T20	21.5 lbs.	2,000	455	91

"Bronze Star" Exterior Use Star Drive Screws

- * ACQ Compatible Coating
- * For All Exterior Uses
- * Flat Head with 16 Nibs for easy self countersinking
- * Extra Sharp type 17 Auger Point
- * Large Knurled Shank
- * Deep, Wide, Sharp Threads
- * Hardened Steel



.38" Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
BTX-09212	#9 x 2-1/2"	T25	25.5lbs.	2,500	545	109
BTX-09300	#9 x 3"	T25	22.5lbs.	2,000	450	90

#10 x Heavy Duty Deck Screws

HDB212	#10 x 2-1/2"	T25	25.4lbs.	2,000	395	79
HDB3	#10 x 3"	T25	23lbs.	1,500	325	66

#9 x Trim Head Deck Screws



.238" Head Diameter

THBTX-09212	#9 x 2-1/2"	T20	22.5lbs	2,500	555	111
THBTX-09300	#9 x 3"	T20	21.4lbs	2,000	470	94

- * Smallest "Star Drive" Trim Head Available!

#7 x Finish Head Deck Screws



.20" Head Diameter

FSC7212	#7 X 2-1/2"	T10	21.1 lbs	3,000	710	142
FSC73	#7 X 3"	T10	21.2 lbs	2,500	590	118

"Bronze Star" Exterior Use Star Drive Lag Screws

- * Round Washer Head
- * Extra Sharp Type 17 Auger Point
- * Deep Sharp Spiral
- * Hardened Steel

Item Number	Size	Drive Size	Net Wt*	Carton Qty	100 Ct
1/4" x "Bronze Star" Construction Lag			1/4" nominal	5/8" Head Diameter	



New Item!

**1/4" nominal
1/2" Head Diam.**

CCTX-14200	1/4" x 2"	T25	14.3 lbs.	1,000	100
CCTX-14250	1/4" x 2-1/2"	T25	13.1 lbs.	750	100
CCTX-14300	1/4" x 3"	T25	12 lbs.	600	100

5/16" x "Bronze Star" Construction Lag 5/16" nominal 5/8" Head Diameter



**5/16" nominal
5/8" Head Diam.**

CCTX-516250	5/16" x 2-1/2"	T30	15.2 lbs.	600	100
CCTX-516300	5/16" x 3"	T30	15 lbs.	500	100
CCTX-516350	5/16" x 3-1/2"	T30	17 lbs.	500	100
CCTX-516400	5/16" x 4"	T30	15.2 lbs.	400	100
CCTX-516500	5/16" x 5"	T30	16.7 lbs.	350	100
CCTX-516600	5/16" x 6"	T30	16.8 lbs.	300	100

Decking Screws

#10 Stainless Steel "C-Deck" Screws

305 STAINLESS STEEL "C-DECK" SCREWS



SSCD 2-1/2" with .316" Head Diam.

SSCD 3" (3 Ring) with .267" Head Diam.

- ★ ACQ Compatible
- ★ Excellent for Composite Decking, Railing, Fascia, Cedar, Redwood, & Coastal Environments
- ★ Pancake Head Pulls Excess Material Into Hole While Countersinking
- ★ Extra Sharp Type 17 Auger Point
- ★ Deep, Wide, Sharp Threads
- ★ Colored Heads in Three Colors: Tan, Gray & Red
- ★ 2 lengths: 2-1/2" & 3"

Stainless Steel needs predrilling in most composites

RED HEAD

Item Number	Size	Drive Size	Net Wt*	Carton Qty	Jar Qty
SSCD212R	10 x 2-1/2"	T20	22.7 lbs	1,750	350
SSCD3R	9 x 3"	T20	22.4 lbs	1,500	350

GRAY HEAD

SSCD212G	10 x 2-1/2"	T20	22.7 lbs	1,750	350
SSCD3G	9 x 3"	T20	22.4 lbs	1,500	350

TAN HEAD

SSCD212T	10 x 2-1/2"	T20	22.7 lbs	1,750	350
SSCD3T	9 x 3"	T20	22.4 lbs	1,500	350

STAINLESS STEEL

SSCD212	10 x 2-1/2"	T20	22.7 lbs	1,750	350
SSCD3	9 x 3"	T20	22.4 lbs	1,500	350

"Just installed a new trex dock. Home Depot didn't have composite screws in stainless. Your screws arrived to save the day ... they look great and were much easier to install than square head screws."

#9 C-Deck Pressure Treated Compatible Screws

- ★ ACQ Compatible Coating In Four Colors: Tan - Gray - Red - Brown
- ★ Excellent for Composite Decking, Railing, Fascia
- ★ Available in 2 Lengths: 2-1/2" & 3"
- ★ Pancake Head Pulls Excess Material Into Hole While Countersinking
- ★ Extra Sharp Quick Starting Point
- ★ Deep, Wide, Sharp Threads
- ★ Hardened Steel



.263" Head Diameter

RED 1000 Hr Coating

Item Number	Size	Drive Size	Net Wt*	Carton Qty	Jar Qty
CD212R	9 x 2-1/2"	T20	22.7 lbs.	1,750	350
CD3R	9 x 3"	T20	22.4 lbs.	1,500	350

GRAY 1000 Hr Coating

CD212G	9 x 2-1/2"	T20	22.7 lbs.	1,750	350
CD3G	9 x 3"	T20	22.4 lbs.	1,500	350

TAN 1000 Hr Coating

CD212T	9 x 2-1/2"	T20	22.7 lbs.	1,750	350
CD3T	9 x 3"	T20	22.4 lbs.	1,500	350

BROWN 1000 Hr Coating

CD212B	9 x 2-1/2"	T20	22.7 lbs.	1,750	350
CD3B	9 x 3"	T20	22.7 lbs.	1,750	350

"I was very impressed with your "star drive" deck screws. In the past, I have used various square drive screws with poor results. The screws would still slip and round their heads, which is unacceptable on a finished composite deck. The "star drive" screws never slipped and I didn't have to drill pilot holes. Overall, I was very impressed with your product and the speed of shipping"

"C-Deck" Fascia, Fencing & Railing Star Drive Screws

- ★ For Fascia, Fencing, Railing & More
- ★ ACQ Compatible Coating In Four Colors: Tan - Gray - Red - Brown
- ★ Extra Sharp Quick Starting Point
- ★ Deep, Wide, Sharp Threads
- ★ Hardened Steel



.263" Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
CD134R Red	9 x 1-3/4"	T20	23.7lbs.	3,500	660	132
CD134G Gray	9 x 1-3/4"	T20	23.7lbs.	3,500	660	132
CD134T Tan	9 x 1-3/4"	T20	23.7lbs.	3,500	660	132
CD134B Brown	9 x 1-3/4"	T20	23.7lbs.	3,500	660	132

Screw Products, Inc. • Toll Free 1-877-844-8880 • www.screw-products.com

*Approximate Weight • 9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • info@screw-products.com

The Deck Clip™ Hidden Deck Fastener



- *Easiest to install, & least labor intensive hidden deck fastener*
- *Includes Black Stainless Steel Star Drive Screws*
- *Holds Deck more Effectively Than Plastic Clips*
- *Black Marine Grade Aluminum Clip*
- *No Drilling. No Glue. No Hassle.*
- *It's literally out of sight!*
- *ACQ Compatible*

When using 5-1/2" wide decking, each jar will install 100 square feet of decking on 16" centers, or 150 square feet on 24" centers.



Each unit contains:

- (175) Clips
- (175) 2-1/4" "Star Drive" Screws
- (10) 2-1/4" starter & finisher screws
- Hard Wood Plugs
- (1) T20x2 Driver
- Instructions

"Star Drive" Bits

Drive	1"	2"	2-3/4"	3-1/2"	6"	
T10	*	*				
T15	*	*				
T20	*	*	*	*	*	
T25	*	*	*	*	*	
T30	*	*				
T40	*	*				

Bit Holders

2PMBH3	C-Ring 2 pc SS Magnetic Bit Holder <i>For 1" Bits Only</i>	
2PMBH6	C-Ring 2 pc SS Magnetic Bit Holder 6" <i>For 1" Bits Only</i>	
QR2	Quick Release Magnetic Bit Holder 2"	
QR3	Quick Release Magnetic Bit Holder 3"	
SPRMBH	SuperMag Magnetic Bit Holder	
SS1PMBH3	C-Ring 1 pc SS Magnetic Bit Holder <i>For 1" Bits Only</i>	




#7 x "Star Drive" Pocket Screws (Coarse & Fine Thread)

<ul style="list-style-type: none"> * Type 17 Auger Point * Bronze Lubed Finish * Deep, Sharp, Wide Threads * Hardened Steel * Great for Kreg Jig® 					(C) Coarse For Softwoods (F) Fine For Hardwoods <i>.372" Head Diameter</i>		
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
	CTX7114C	#7 X 1-1/4"	T20	30.3 lbs.	6,000	935	187
	CTX7114F	#7 X 1-1/4"	T20	30.3 lbs.	6,000	915	183
	CTX7112C	#7 X 1-1/2"	T20	32.6 lbs.	5,000	824	165
CTX7112F	#7 X 1-1/2"	T20	32.6 lbs.	5,000	824	165	

Screw Products, Inc. • Toll Free 1-877-844-8880 • www.screw-products.com

*Approximate Weight • 9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • info@screw-products.com

“Bronze Star” Exterior Use Construction Lag Screws

	Item Number	Size	Drive Size	Net Wt*	Carton Qty	100 Ct	
“GOLD STAR” & “BRONZE STAR” CONSTRUCTION LAG SCREWS * For Decking, Ledger Boards, Log Homes, Roofing, Bridges, Rigid Foam Insulation, Posts & Beams, Boardwalks, Structured Insulation Panels (SIP) and more!	1/4” x “Bronze Star” Construction Lag						
			New Item!			1/4” nominal 1/2” Head Diam.	
	CCTX-14100	1/4” x 1”	T25	16.7 lbs.	2,000	100	
	CCTX-14150	1/4” x 1-1/2”	T25	17 lbs.	1,500	100	
	CCTX-14200	1/4” x 2”	T25	14.3 lbs.	1,000	100	
	CCTX-14250	1/4” x 2-1/2”	T25	13.1 lbs.	750	100	
	CCTX-14300	1/4” x 3”	T25	12 lbs.	600	100	
	CCTX-14400	1/4” x 4”	T25	13.8 lbs.	500	100	
	CCTX-14500	1/4” x 5”	T25	15.2 lbs.	450	100	
	CCTX-14600	1/4” x 6”	T25	16.6 lbs.	400	100	
* Round Washer Head * Extra Sharp Type 17 Auger Point * Deep Sharp Spiral * Hardened Steel	5/16” x “Bronze Star” Construction Lag						
						5/16” nominal 5/8” Head Diam.	
	CCTX-516250	5/16” x 2-1/2”	T30	15.2 lbs.	600	100	
	CCTX-516300	5/16” x 3”	T30	15 lbs.	500	100	
	CCTX-516350	5/16” x 3-1/2”	T30	17 lbs.	500	100	
	CCTX-516400	5/16” x 4”	T30	15.2 lbs.	400	100	
	CCTX-516500	5/16” x 5”	T30	16.7 lbs.	350	100	
	CCTX-516600	5/16” x 6”	T30	16.8 lbs.	300	100	
		3/8” x “Bronze Star” Construction Lag					
							3/8” nominal 11/16” Head Diam.
CTX-38700		3/8” x 7”	T40	22 lbs.	250	100	
CTX-38800		3/8” x 8”	T40	25 lbs.	250	100	
CTX-381000		3/8” x 10”	T40	31 lbs.	250	100	
CTX-381200		3/8” x 12”	T40	36.5 lbs.	250	100	

“My employees tell me that driving them is much easier on their arms and shoulders with virtually no pushing needed to keep the bit in the head of the screw. They also say that the screws back out as easy as they go in, which allows us to reuse them. They have yet to have a head twist off, strip out, or a screw break. Most contractors would agree, that not a day goes by without one of those things happening. We will highly recommend your Star Drive Wood Screws to all the contractors and do-it-yourselfers.”

Interior & Exterior “Star Drive” Cabinet Screws

* ACQ Compatible Coating * Extra Sharp Type 17 Auger Point * Washer Head * Deep, Wide, Sharp Threads * Hardened Steel	#7 x “Bronze Star” EXTERIOR Use Modified Truss Head Screws							
			New Item!			.412” Head Diameter		
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	CCTX-7114	#7 x 1-1/4”	T15	18.7 lbs.	4,000	1070	214	
	CCTX-7158	#7 x 1-5/8”	T15	17.2 lbs.	3,000	870	174	
	CCTX-7200	#7 x 2”	T15	13.5 lbs.	2,000	740	148	
CCTX-7212	#7 x 2-1/2”	T15	12.2 lbs.	1,500	615	123		
* Yellow Zinc Coated * Type 17 Auger point * Deep, Sharp, Wide Threads * Hardened Steel	#10 x “Gold Star” Yellow Zinc Coated Cabinet Screws							
								1/2” Head Diameter
	CTX-10212	10 x 2-1/2”	T25	25.3 lbs.	2,000	410	82	
CTX-10300	10 x 3”	T25	24 lbs.	1,500	305	61		

“Star Drive” Wood Screw Assortment Kits!

These economical and compact assortment kits are the perfect accessory for your home, garage or workshop (they also make wonderful gifts!). Fully loaded, these take-anywhere kits are easy to carry, slim enough to fit just about any place you need and are available in several varieties for different purposes.



Includes:
Screws
Adjustable Organizer
Free Bits
Magnetic Bit Holders

Each Kit Comes With:

- ★ Assortment of “Star Drive” Screws
- ★ Adjustable Organizer
- ★ 3” - 2 Piece, Stainless Steel Top, Magnetic Bit Holder
- ★ 3” - Stainless Steel Quick Release Magnetic Bit Holder
- ★ **Bonus!** We’ll throw in drive bits - see each kit for details!!

NEW! #CLCK “Bronze Star” Special Edition 10th Anniversary Assortment Kit	
Includes: 1/4”x Lag Screws (50) 1”, (35) 1-1/2”, (25) 2”, (40) 2-1/2”, (35) 3” #7x Star Drive Modified Truss Head Screws (75) 7x1-1/4”, (50) 7x1-5/8”, (45) 7x2”, (40) 7x2-1/2”	
Bits: T15x1”, T15x2”, T25x1”, T25x2	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	
#BAK “Bronze Star” ACQ Compatible Star Drive Wood Screw Assortment Kit	
Includes: (40) 8 x 1-1/4”, (35) 8 x 1-1/2”, (35) 8 x 1-3/4”, (40) 9 x 2”, (40) 9 x 2-1/2”, (40) 9 x 2-3/4”, (35) 9 x 3”, (40) 10 x 2-1/2”, (35) 10 x 3”, (35) 10 x 3-1/2”, (35) 10 x 4”	
Bits: T20x1”, T20x2”, T25x1”, T25x2	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	
#YAK “Gold Star” Multipurpose Star Drive Wood Screw Assortment Kit	
Includes: (50) 8 x 1”, (50) 8 x 1-1/4”, (40) 8 x 1-1/2”, (30) 8 x 1-3/4”, (35) 8 x 2”, (35) 8 x 2-1/2”, (40) 9 x 3”, (30) 10 x 3-1/2”, (30) 10 x 4” - Cabinet Screws (25) 10 x 2-1/2”, (30) 10 x 3”	
Bits: T20x1”, T20x2”, T25x1”, T25x2	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	
#SSAK “Silver Star” Stainless Steel Star Drive Wood Screw Assortment Kit	
Includes: (40) 8 x 1-1/4”, (40) 8 x 1-1/2”, (40) 9 x 1-5/8”, (40) 9 x 2”, (40) 9 x 2-1/2”, (40) 9 x 3”, (40) 10 x 2-1/2”, (40) 10 x 3”, (40) 10 x 3-1/2”, (40) 10 x 4”	
Bits: T20x1”, T20x2”, T25x1”, T25x2	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	
#THAK “Trim Head” Star Drive Wood Screw Assortment Kit	
Includes Stainless Steel (50) 9 x 1-5/8”, (50) 9 x 2-1/4”, (50) 9 x 2-1/2”, (50) 9 x 3”, (50) 9 x 4” Coated ACQ Compatible Exterior Use (50) 9 x 1-5/8”, (50) 9 x 2”, (50) 9 x 2-1/2”, (50) 9 x 3”, (50) 9 x 4”	
Bits: (2) T20x1”, (2) T20x2”	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	
#CFAK “Gold Star” Cabinet & Finish Star Drive Wood Screw Assortment Kit	
Includes: Pocket Screws (70) 7 x 1-1/4” Coarse, (70) 7 x 1-1/4” Fine, (60) 7 x 1-1/2” Coarse, (60) 7 x 1-1/2” Fine Cabinet Screws (30) 10 x 2-1/2”, (25) 10 x 3” - Finish Screws (80) 7 x 1-5/8”, (65) 7 x 2”, (80) 7 x 2-1/2”, (80) 7 x 3”	
Bits: T10x1”, T10x2”, T20x1”, T20x2”, T25x1”, T25x2”	Adjustable Organizer
Magnetic Bit Holders: (1) 3” - 2 Piece Stainless Steel Top and (1) 3” - Stainless Steel Quick Release	

Screw Products, Inc. • Toll Free 1-877-844-8880 • www.screw-products.com

*Approximate Weight • 9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • info@screw-products.com

SCREW PRODUCTS INC.

The Ultimate Wood Screw



Here at Screw Products, Inc. we provide the most useful, reliable, and quality fasteners in the world today. The charts you see below are a summary of a complete battery of tests performed on our fasteners by Trace Laboratories. For more information on these tests, or a copy of the complete report, please call us at 1 (877) 844-8880 today.

Screw Pull Out Force (Thread Depth & LBS)*			
Screw Type	Depth	SYP	WRC
CCTX516600	2½"	1988	885
CTX 381000	3"	2626	1336.6
YTX 151000	2½"	2150	866.4
YTX 147000	2½"	1616	962.6

Screw Pull Through (LBS)*		
Screw Type	SYP	WRC
CCTX516600	2305	1844
CTX 381000	3712	1964
YTX 151000	1929	1150
YTX 147000	1722	1276

Screw Shank Shear – Metal*	
Screw Type	LBS
SSTX08200	1000
SSTH09300	1100
SSTX10400	1325
YTX08212	1500
YTX09300	2075
YTX10400	2255
CCTX516600	3700
CTX381000	3825
YTX14700	2800
YTX15100	2650

Screw Lap Shear (LBS)		
Screw Type	SYP	WRC
CCTX516600	1220	767
CTX381000	1602	1148
YTX151000	1127	997
YTX14700	1269	691

All tests performed by:
Trace Laboratories
1150 W. Euclid Avenue
Palatine, IL 60067-7368
Ph. (847) 934-5300
Fx. (847) 934-4600
www.tracelabs.com

Pull Out Testing By Material (Thread Depth & LBS)												
Screw Type	Southern Yellow Pine		Douglas Fir		Plywood		Chip Board		Particle Board		Redwood	
	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth
SSTH09300	1110	1½"	995	1½"	650	.75"	415	1"	440	¾"	292.5	¾"
THBTX09300	1375	1½"	1025	1½"	685	.75"	390	1"	392.5	¾"	307.5	¾"
YTX08212	1135	1½"	825	1½"	657	.75"	370	1"	400	¾"	312.5	¾"
SSTX09300	1250	1½"	767.5	1½"	512.6	.75"	500	1"	432.5	¾"	362.5	¾"
CCTX516400	1285	1½"	645	1½"	670	.75"	-	-	-	-	-	-
CCTX516500	2275	1½"	735	1½"	590	.75"	-	-	-	-	-	-
YTX15100	2000	1½"	862.5	1½"	630	.75"	630	1"	445	¾"	200	¾"

Average Shear Strength – Wood**	
Screw Type	LBS
YTX09300	803
YTX08212	787
YTX15800	1470
YTX151000	1665
YTX10400	1065
YTX14700	1205
YTX14512	1029
SSTX09300	655
SSTH09300	847
SSTX08200	695
SSTX10400	827

SYP: Southern Yellow Pine
WRC: Western Red Cedar

To request the full 70 page Report, please contact us by phone or email. Specific Data Sheets per test are also available.

Screws that share the same diameter and metal type will have equal values to those tested. For Example: Our SSTX09212 9x2½" will share the same shear strength as our SSTX09300 9x3"

* 5 Test Average
** 2 Test Average






Free Shipping
On Orders Over \$100
in the Continuous USA!


Scrail® Collated Fasteners



Strip



Plastic Sheet



Wire Coil

Unlike ordinary nails or screws, Scrail® collated fasteners are incredibly versatile. Scrail can be driven with a pneumatic nailer, making projects quick and easy. Scrail® fasteners can save time and labor costs on almost any project that currently uses ordinary screws. Scrail® fasteners are easily and quickly removable, perfect for adjustments or temporary applications like concrete forms or scaffolding. The contractor's perfect job-site partner for SIP (structurally insulated panels) sub-flooring, crating, framing etc. NEW FasCoat™ Finish withstands more than 3,000 hours of salt spray testing and 84 cycles Kesternich testing, designed for applications where superior corrosion resistance is required such as decking, outdoor furniture and more. Compatible with ACQ pressure treated lumber.

- Bend yield moment of Scrail® fasteners meets ASTM F1667-05 standards
- Scrail® fasteners are available in a wide variety of collations and finishes
- Twice as fast as collated screws, eight times faster than bulk screws
- Use almost anywhere ordinary screws are used
- Dramatically increased holding power vs. nails
- Easily adjusted, quickly removable
- Available in 1-1/4" to 6-1/4" lengths
- Saves time and labor costs

**See Our Website
For Detailed Info!**