


SCREW PRODUCTS INC.



The Ultimate Wood Screw

Our "Star Drive" provides twice the torque of Phillips or Square drive screws! Benefits include; Longer Bit Life, Reduced Camout, Reduced End Load, Virtually Eliminates Stripping and Fastener Damage!

Head	Screw	Description	Sizes	Page
		"Bronze Star" Exterior Use	1-1/4" to 6"	4
		"Bronze Star" Exterior Trim Head	1-5/8" to 5"	4
		"Bronze Star" Exterior Finish Head	1-5/8" to 3"	4
		"Bronze Star" Modified Truss Head	1-1/4" to 2-1/2"	5
		"Gold Star" Zinc Coated Cabinet	2-1/2" to 3"	5
		"C-Deck" Composite Deck Screws	2-3/4"	7
		"C-Deck" Fascia, Fence & Rail	1-3/4"	7
		"Gold Star" Interior Multipurpose	1" to 14"	8
		"Pocket Screws" Fine/Coarse Thread	1-1/4" to 1-1/2"	8
		"Silver Star" Stainless Steel	1-1/2" to 4"	9
		"Silver Star" Stainless Trim Head	1-5/8" to 4"	9
		"Reamer Tek" Wood to Steel	1-5/8" to 3-1/4"	9
		"Tapcon" Masonry Screws Phillips	3/16" & 1/4" x 3-1/4"	10
		"Cement Board" Coated	1-1/4" to 1-5/8"	10
		"Bronze Star" 1/4" Construction Lag	1" to 6"	5
		"Bronze Star" 5/16" Construction Lag	2-1/2" to 6"	5
		"Bronze Star" 3/8" Construction Lag	7" to 12"	5
		"Gutter Screws" Coated "Star Drive" 7"		10
		"Star Drive" Bits & Bit Holders	1" to 6"	10



Convenient Packaging!

Most Products Are Available in 5lb Reuseable Jars & Bulk Containers!



Assortment Kits Page 3

Find Us On

facebook



Deck Clip Hidden Deck Fastener Pg 6

Distributed By:



DeckLok Lateral Anchor Pg 6


Features & Benefits Of Our Main Product Lines

"Silver Star" 305 Stainless Steel



Our Silver Star "Star Drive" stainless steel wood screws are manufactured from the finest quality stainless steel alloys. For use with chemically treated materials and in wood and plywood applications which are exposed to the weather, high moisture and other caustic conditions such as coastal environments which make corrosion resistance of primary importance. When corrosion of fasteners could affect structural performance, or just to prevent unsightly staining, our Silver Star "Star Drive" stainless steel wood screws provide the best protection available. Excellent for hardwood, cedar, redwood and other tannic acid woods.

"Gold Star" Interior Multipurpose




Gold Star interior multipurpose screws are for professional uses and demanding industries using hard or soft woods, chipboard and other tough materials - an excellent general purpose fastener.

"C-Deck" Composite Deck Screw




Our NEW 2-3/4" C-Deck Composite Deck Screws has been redesigned to handle even the toughest new composite boards being produced today! Our C-decks eliminate all composite mushrooming. This will save you countless hours by avoiding pre-drilling and clean up! This top of the fastener, will not produce secondary lumps around the screw head leaving your project smooth & Flush. Milled with a trilobular design and "Star Drive" our C-deck starts easy and drives with less torque! Available in Stainless Steel and ACQ Compatible E-Coat.

"Bronze Star" Exterior Use




Our "Bronze Star" screws are designed for exterior professional uses with hard or soft woods, chipboard or other tough materials. The bronze finish gives this fastener extra corrosion resistance. Compatible with pressure treated lumber. ACQ Compatible. Can be used in tannic woods such as Cedar and Redwood.

"Reamer Tek" Wood To Steel



White Zinc Coated Wood to Steel Fastener. For specialized applications specifically fastening wood to steel or aluminum. Self-drilling wings will break off once it has reached contact with the steel.

Construction Lag Screws



Our ACQ Compatible Bronze "Star Drive" Construction Lags are great for any application where a load bearing head is needed! Milled with a round washer head this heavy duty screw is available in 1/4", 5/16" and 3/8"! Milled with an extra sharp type 17 Auger, deep sharp threads, lengths up to 12", Heat treated carbon steel. Great for Decking, ledge boards, log homes, roofing, insulation panels and more!

"Star Drive" Wood Screw Assortment Kits!

These economical and compact assortment kits are the perfect accessory for your home, garage or workshop (they also make wonderful gifts!). Fully loaded, these take-anywhere kits are easy to carry, slim enough to fit just about any place you need and are available in several varieties for different purposes.



Includes:
Screws
Adjustable Organizer
Free Bits
Magnetic Bit Holders

Each Kit Comes With:

- * Assortment of "Star Drive" Screws
- * Adjustable Organizer
- * 3" - 2 Piece, Stainless Steel Top, Magnetic Bit Holder
- * 3" - Stainless Steel Quick Release Magnetic Bit Holder
- * **Bonus!** We'll throw in drive bits - see each kit for details!!

NEW! #CLCK "Bronze Star" Special Edition 10th Anniversary Assortment Kit

Includes: **1/4"x Lag Screws** (50) 1", (35) 1-1/2", (25) 2", (40) 2-1/2", (35) 3"

#7x Star Drive Modified Truss Head Screws (75) 7x1-1/4", (50) 7x1-5/8", (45) 7x2", (40) 7x2-1/2"

Bits: T15x1", T15x2", T25x1", T25x2

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

#BAK "Bronze Star" ACQ Compatible Star Drive Wood Screw Assortment Kit

Includes: (40) 8 x 1-1/4", (35) 8 x 1-1/2", (35) 8 x 1-3/4", (40) 9 x 2", (40) 9 x 2-1/2", (40) 9 x 2-3/4", (35) 9 x 3", (40) 10 x 2-1/2", (35) 10 x 3", (35) 10 x 3-1/2", (35) 10 x 4"

Bits: T20x1", T20x2", T25x1", T25x2

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

#YAK "Gold Star" Multipurpose Star Drive Wood Screw Assortment Kit

Includes: (50) 8 x 1", (50) 8 x 1-1/4", (40) 8 x 1-1/2", (30) 8 x 1-3/4", (35) 8 x 2", (35) 8 x 2-1/2", (40) 9 x 3", (30) 10 x 3-1/2", (30) 10 x 4" - **Cabinet Screws** (25) 10 x 2-1/2", (30) 10 x 3"

Bits: T20x1", T20x2", T25x1", T25x2

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

#SSAK "Silver Star" Stainless Steel Star Drive Wood Screw Assortment Kit

Includes: (40) 8 x 1-1/4", (40) 8 x 1-1/2", (40) 9 x 1-5/8", (40) 9 x 2", (40) 9 x 2-1/2", (40) 9 x 3", (40) 10 x 2-1/2", (40) 10 x 3", (40) 10 x 3-1/2", (40) 10 x 4"

Bits: T20x1", T20x2", T25x1", T25x2

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

#THAK "Trim Head" Star Drive Wood Screw Assortment Kit

Includes **Stainless Steel** (50) 9 x 1-5/8", (50) 9 x 2-1/4", (50) 9 x 2-1/2", (50) 9 x 3", (50) 9 x 4"

Coated ACQ Compatible Exterior Use (50) 9 x 1-5/8", (50) 9 x 2", (50) 9 x 2-1/2", (50) 9 x 3", (50) 9 x 4"

Bits: (2) T20x1", (2) T20x2"

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

#CFAK "Gold Star" Cabinet & Finish Star Drive Wood Screw Assortment Kit

Includes: **Pocket Screws** (70) 7 x 1-1/4" Coarse, (70) 7 x 1-1/4" Fine, (60) 7 x 1-1/2" Coarse, (60) 7 x 1-1/2" Fine

Cabinet Screws (30) 10 x 2-1/2", (25) 10 x 3" - **Finish Screws** (80) 7 x 1-5/8", (65) 7 x 2", (80) 7 x 2-1/2", (80) 7 x 3"

Bits: T10x1", T10x2", T20x1", T20x2", T25x1", T25x2"

Adjustable Organizer

Magnetic Bit Holders: (1) 3" - 2 Piece Stainless Steel Top and (1) 3" - Stainless Steel Quick Release

Screw Products, Inc. • Toll Free: (877) 844-8880 • www.screw-products.com


9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • Fax: (253) 853-8881 • info@screw-products.com • March 2011

About Our "Bronze Star" ACQ Compatible Coating

The SKTII coating on Screw Products, Inc.'s coated fasteners has been designed to protect against the corrosive qualities of chemically pressure treated lumber such as ACQ, CCA, and more. This coating is called SKTII. It is a proprietary coating and method of application that has shown over **1200 hours corrosion resistance** in BOTH ACQ and salt spray conditions. SKTII also exhibits outstanding abrasion resistance.




"Bronze Star" Exterior Use Star Drive Wood Screws


<ul style="list-style-type: none"> * Exterior Uses, Decking, Fencing, & More! * ACQ Compatible Coating * Flat Head with 16 Nibs for easy self countersinking * Extra Sharp type 17 Auger Point * Large Knurled Shank * Deep, Wide, Sharp Threads * Heat Treated, Hardened Steel * SPI suggests the use of "Silver Star" Stainless for coastal applications 			.32" - .38" Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	BTX-08114	#8 x 1-1/4"	T20	39lbs.	9,000	1,098	220	
	BTX-08112	#8 x 1-1/2"	T20	34lbs.	6,500	1,004	201	
	BTX-08134	#8 x 1-3/4"	T20	24lbs.	4,000	850	170	
	BTX-08200	#8 x 2"	T20	23.5lbs.	3,500	741	148	
	BTX-09200	#9 x 2"	T25	24.3lbs.	3,000	571	114	
	BTX-09212	#9 x 2-1/2"	T25	25.5lbs.	2,500	468	94	
	BTX-09234	#9 x 2-3/4"	T25	23.5lbs.	2,000	434	87	
	BTX-09300	#9 x 3"	T25	22.5lbs.	2,000	388	78	
	#10 x Heavy Duty							
	HDB2	#10 x 2"	T25	25.7lbs.	2,500	495	99	
	HDB212	#10 x 2-1/2"	T25	25.4lbs.	2,000	390	78	
	HDB3	#10 x 3"	T25	23lbs.	1,500	322	65	
	HDB312	#10 x 3-1/2"	T25	18.5lbs.	1,000	280	56	
	HDB104	#10 x 4"	T25	20.7lbs.	1,000	240	48	
	HDB105	#10 x 5"	T25	20lbs.	750	194	39	
HDB106	#10 x 6"	T25	19lbs.	600	166	33		

Since I discovered your screws some 4 years ago, I use nothing else. They are without a doubt the finest woodworking screws I have ever used. I recently made a gift of a 5# jar of exterior screws to a friend of mine that has a small business making carved wooden gates to order and she couldn't wait to call and tell me how very pleased she was with your product. Needless to say, she will be another of your satisfied customers

"Bronze Star" Trim Head Star Drive Wood Screws

<ul style="list-style-type: none"> * ACQ Compatible Coating * Exterior Uses - Not For Coastal Areas * Knurled Shank * Deep, Wide, Sharp Threads * Type 17 Auger Point * Hardened Steel * Use for Fencing, Decks, Trim, Fascia, Finish Work and More! 			.24" Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	THBTX-09158	#9 x 1-5/8"	T20	22lbs	4,000	860	165	
	THBTX-09200	#9 x 2"	T20	21lbs	3,000	682	137	
	THBTX-09212	#9 x 2-1/2"	T20	22.5lbs	2,500	533	106	
	THBTX-09300	#9 x 3"	T20	21.4lbs	2,000	444	89	
	THBTX-09400	#9 x 4"	T20	23lbs	1,500	330	66	
	THBTX-09500	#9 x 5"	T20	20lbs	1,000	262	53	




"Bronze Star" #7 x Exterior Use Finish Screws

<ul style="list-style-type: none"> * ACQ Compatible * Smallest "Star Drive" Trim Head Available! * Type 17 auger point * Deep, Wide, Sharp Threads * Knurled Shank * Heat Treated, Hardened Steel 			.20" Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	FSC7158	#7 X 1-5/8"	T10	23 lbs	5,500	1,124	233	
	FSC72	#7 X 2"	T10	21 lbs	4,000	953	181	
	FSC7212	#7 X 2-1/2"	T10	21.1 lbs	3,000	706	140	
FSC73	#7 X 3"	T10	21.2 lbs	2,500	592	118		

Screw Products, Inc. • Toll Free: (877) 844-8880 • www.screw-products.com

9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • Fax: (253) 853-8881 • info@screw-products.com • March 2011

"Bronze Star" Exterior Use Construction Lag Screws

	Item Number	Size	Drive Size	Net Wt*	Carton Qty	100 Ct		
<ul style="list-style-type: none"> * For Decking, Ledger Boards, Log Homes, Roofing, Bridges, Rigid Foam Insulation, Posts & Beams, Boardwalks, Structured Insulation Panels (SIP) and more! * ACQ Compatible / Pressure treated lumber 	1/4" x "Bronze Star" Construction Lag							
						New Item!		1/4" nominal 1/2" Head Diam.
	CCTX-14100	1/4" x 1"	T25	16.7 lbs.	2,000	100		
	CCTX-14150	1/4" x 1-1/2"	T25	17 lbs.	1,500	100		
	CCTX-14200	1/4" x 2"	T25	14.3 lbs.	1,000	100		
	CCTX-14250	1/4" x 2-1/2"	T25	13.1 lbs.	750	100		
	CCTX-14300	1/4" x 3"	T25	12 lbs.	600	100		
	CCTX-14400	1/4" x 4"	T25	13.8 lbs.	500	100		
	CCTX-14500	1/4" x 5"	T25	15.2 lbs.	450	100		
	CCTX-14600	1/4" x 6"	T25	16.6 lbs.	400	100		
<ul style="list-style-type: none"> * Round Washer Head * Extra Sharp Type 17 Auger Point * Deep Sharp Spiral * Hardened Steel 	5/16" x "Bronze Star" Construction Lag							
								5/16" nominal 5/8" Head Diam.
	CCTX-516250	5/16" x 2-1/2"	T30	15.2 lbs.	600	100		
	CCTX-516300	5/16" x 3"	T30	15 lbs.	500	100		
	CCTX-516350	5/16" x 3-1/2"	T30	17 lbs.	500	100		
	CCTX-516400	5/16" x 4"	T30	15.2 lbs.	400	100		
	CCTX-516500	5/16" x 5"	T30	16.7 lbs.	350	100		
	CCTX-516600	5/16" x 6"	T30	16.8 lbs.	300	100		
	3/8" x "Bronze Star" Construction Lag							
								3/8" nominal 11/16" Head Diam.
CTX-38700	3/8" x 7"	T40	22 lbs.	250	100			
CTX-38800	3/8" x 8"	T40	25 lbs.	250	100			
CTX-381000	3/8" x 10"	T40	31 lbs.	250	100			
CTX-381200	3/8" x 12"	T40	36.5 lbs.	250	100			

"My employees tell me that driving them is much easier on their arms and shoulders with virtually no pushing needed to keep the bit in the head of the screw. They also say that the screws back out as easy as they go in, which allows us to reuse them. They have yet to have a head twist off, strip out, or a screw break. Most contractors would agree, that not a day goes by without one of those things happening. We will highly recommend your Star Drive Wood Screws to all the contractors and do-it-yourselfers."

Interior & Exterior "Star Drive" Cabinet Screws

	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
<ul style="list-style-type: none"> * ACQ Compatible Coating * Extra Sharp Type 17 Auger Point * Washer Head * Deep, Wide, Sharp Threads * Hardened Steel 	#7 x "Bronze Star" EXTERIOR Use Modified Truss Head Screws							
						New Item!		.412" Head Diameter
	CCTX-7114	#7 x 1-1/4"	T15	18.7 lbs.	4,000	1,014	205	
	CCTX-7158	#7 x 1-5/8"	T15	17.2 lbs.	3,000	870	169	
	CCTX-7200	#7 x 2"	T15	13.5 lbs.	2,000	733	147	
CCTX-7212	#7 x 2-1/2"	T15	12.2 lbs.	1,500	574	115		
<ul style="list-style-type: none"> * Yellow Zinc Coated * Type 17 Auger point * Deep, Sharp, Wide Threads * Hardened Steel 	#10 x "Gold Star" Yellow Zinc Coated Cabinet Screws							
								1/2" Head Diameter
	CTX-10212	10 x 2-1/2"	T25	25.3 lbs.	2,000	358	72	
CTX-10300	10 x 3"	T25	24 lbs.	1,500	312	63		

Screw Products, Inc. • Toll Free: (877) 844-8880 • www.screw-products.com

9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • Fax: (253) 853-8881 • info@screw-products.com • March 2011

The Deck Clip™ Hidden Deck Fastener



- **Easiest to install, & least labor intensive hidden deck fastener**
- **Includes Black Stainless Steel Star Drive Screws**
- **Holds Deck more Effectively Than Plastic Clips**
- **Black Marine Grade Aluminum Clip**
- **No Drilling. No Glue. No Hassle.**
- **It's literally out of sight!**



Each unit contains:

- (175) Clips
- (175) 2-1/4" "Star Drive" Screws
- (10) 2-1/4" starter & finisher screws
- Hard Wood Plugs
- (1) T20x2 Driver
- Instructions

Item Number

DC175 Deck Clip System
DC175PRO Deck Clip System 8 Unit ProPack
DCPlugs Package of 50ct Hardwood Hole Plugs

When using 5-1/2" wide decking, each jar will install 100 square feet of decking on 16" centers, or 150 square feet on 24" centers.

THE SOLUTION in Hidden Deck Fasteners!

Finally a hidden deck fastener that requires no predrilling, glue, or under deck work. Holds decking tight forever while allowing for the inevitable movement all decking experiences. This unique fastener installs easy, and is the least labor intensive hidden deck fastener in the industry. Compatible with favored decking materials ranging from Ipe and Redwood, to composites and beyond.

DeckLok - The Original Lateral Anchor System



You need DeckLok to meet code!

Build in Safety- Lok It In!

The patented DeckLok Advanced Lateral Anchor is revolutionizing the deck industry by providing a bolted connection at critical structural locations. This system achieves the strength required to meet or exceed existing building codes for lateral pullout and guardrail post stability using standard construction designs and techniques. Deck collapses are increasing 20% annually

- Common methods of blocking in guardrail posts to a structural wood frame fail to meet code
- Decklok strengthens all the critical connections of your deck
- One pair of decklok lateral anchors provides up to 4,000 lbs. Of pullout resistance
- Increase rail post connections by over 500%
- Decklok is the most cost effective way to consistently build a safe and secure deck and guardrail system

Item Number

DL316SS Stainless Steel 316 Bracket
DLHDG Hot Dip Galvanized Bracket

"D2W" Deck2Wall Spacers



Deck2Wall Spacers are designed to easily and efficiently provide airspace between buildings and deck ledgers, stair stringers, shade structures, railing posts, fence posts, and more to help prevent rot. Deck2Wall Spacers™ are easy to install, simply fasten the spacer to the ledger with properly sized screws or nails through the attachment holes prior to bolting the ledger to the structure. The large diameter of the Deck2Wall Spacers™ will provide greater bearing surface than standard washers. See www.screw-products.com for more info!

Item Number

D2W

Decking Screws

“C-Deck” #10 x 2-3/4” “Star Drive” Coated Composite Deck Screw



Looking for a Professional Deck Fastener that will save you time, money and leave your new addition looking beautiful?

Screw Products, Inc.’s new 10 x 2-3/4” C-Deck is just the fastener you have been searching for! Redesigned to handle even the toughest new composite boards being produced today! Our C-Decks eliminate all composite mushrooming. This will save you countless hours by avoiding pre-drilling and clean up!

This top of the line fastener, will not produce secondary lumps around the screw head leaving your project smooth & flush, complete with a professional flush finish. Milled with a trilobular design and a “Star Drive”, our C-Deck starts easy and drives with less torque. Reduced splitting and snapping are also key benefits of this redesigned faster!

- ★ Excellent Performance In All Plastic Composite Decks
- ★ ACQ Compatible
- ★ #10 x 2-3/4” Length
- ★ Eliminates Composite Mushrooming
- ★ Does Not Produce Secondary Lumps Around The Head
- ★ Leaves A Smooth, Flush, Countersunk Finish
- ★ Starts Easily And Drives With Less Torque
- ★ Reduced Splitting
- ★ Excellent For All Decking Applications
- ★ Coated & Stainless Steel Versions Available
- ★ Custom Colors Upon Request

Vintage Lantern	Gravel Path	Fire Pit
River Rock	Tree House	Cedar
Desert Bronze	Gray	Rustic Bark
Rosewood	Redwood	Walnut
Mountain Cedar	Sand Ridge	Teak

Colors Are Approximate

Item Number	Size	Drive Size	Net Wt*	Carton Qty	Jar Qty	Jar Qty
Head colors available in Vintage Lantern, Tree House, Fire Pit, Gravel Path, Desert Bronze, Cedar, Gray, Rustic Bark, River Rock, SandRidge, Redwood, Mountain Cedar, Teak, Rosewood, & Walnut. Custom Colors Upon Request.						
CD234 Coated	#10 x 2-3/4”	T20	25 lbs	1,750	350	75
Item Number	Size	Drive Size	Net Wt*	Price Per 1750ct	Price Per 350ct	Price Per 75ct Jar
Painted Head Stainless Steel version available in Cedar, Gray, Redwood, & Walnut.						
SSCD234 Stainless Steel	#10 x 2-3/4”	T20	25 lbs	1,750	350	75
SSCD234 Stainless Steel With Painted Heads	#10 x 2-3/4”	T20	25 lbs	1,750	350	75

“Just installed a new trex dock. Home Depot didn’t have composite screws in stainless. Your screws arrived to save the day ... they look great and were much easier to install than square head screws.”

“I was very impressed with your “star drive” deck screws. In the past, I have used various square drive screws with poor results. The screws would still slip and round their heads, which is unacceptable on a finished composite deck. The “star drive” screws never slipped and I didn’t have to drill pilot holes. Overall, I was very impressed with your product and the speed of shipping”

“C-Deck” Fascia, Fencing & Railing Star Drive Screws

- ★ For Fascia, Fencing, Railing & More
- ★ ACQ Compatible Coating In Four Colors: Tan - Gray - Red - Brown
- ★ Extra Sharp Quick Starting Point
- ★ Deep, Wide, Sharp Threads
- ★ Hardened Steel





.263” Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
CD134R Red	9 x 1-3/4”	T20	23.7lbs.	3,500	723	145
CD134G Gray	9 x 1-3/4”	T20	23.7lbs.	3,500	723	145
CD134T Tan	9 x 1-3/4”	T20	23.7lbs.	3,500	723	145
CD134B Brown	9 x 1-3/4”	T20	23.7lbs.	3,500	723	145


Screw Products, Inc. • Toll Free: (877) 844-8880 • www.screw-products.com

9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • Fax: (253) 853-8881 • info@screw-products.com • March 2011

“Gold Star” Interior Multipurpose “Star Drive” Wood Screws

<ul style="list-style-type: none"> ★ Yellow Zinc Coating ★ Self Counter-sinking ★ True Flat head with 16 Cutting Nibs ★ Extra Sharp Type 17 Auger ★ Knurled Shank ★ Deep, Wide, Sharp Threads ★ Hardened Steel 			.32” - .38” Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	YTX-08100	#8 x 1”	T20	36.5 lbs.	10,000	1,394	279	
	YTX-08114	#8 x 1-1/4”	T20	38.5 lbs.	9,000	1,143	229	
	YTX-08112	#8 x 1-1/2”	T20	33 lbs.	6,500	979	196	
	YTX-08134	#8 x 1-3/4”	T20	23.8 lbs.	4,000	830	166	
	YTX-08200	#8 x 2”	T20	23.5 lbs.	3,500	743	149	
	YTX-08212	#8 x 2-1/2”	T20	20.5 lbs.	2,500	596	119	
	YTX-09200	#9 x 2”	T25	24.3 lbs.	3,000	580	116	
	YTX-09212	#9 x 2-1/2”	T25	25 lbs.	2,500	467	94	
YTX-09234	#9 x 2-3/4”	T25	22.5 lbs.	2,000	432	87		
YTX-09300	#9 x 3”	T25	23.5 lbs.	2,000	393	79		
“Gold Star” Heavy Duty “Star Drive” Wood Screws								
<ul style="list-style-type: none"> ★ Deep, Wide, Sharp Threads ★ Hardened Steel 			.38” Head Diameter					
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	HDY112	#10 x 1-1/2”	T25	23 lbs.	3,000	640	128	
	HDY2	#10 x 2”	T25	25.7 lbs.	2,500	479	96	
	HDY212	#10 x 2-1/2”	T25	25.4 lbs.	2,000	393	79	
	HDY3	#10 x 3”	T25	23 lbs.	1,500	326	65	
	HDY312	#10 x 3-1/2”	T25	18.5 lbs.	1,000	284	57	
	HDY104	#10 x 4”	T25	20.7 lbs.	1,000	250	50	
	HDY105	#10 x 5”	T25	20 lbs.	750	198	40	
HDY106	#10 x 6”	T25	18.5 lbs.	600	166	34		

“Gold Star” Extra Long “Star Drive” Wood Screws

<ul style="list-style-type: none"> ★ Yellow Zinc Coating ★ True Flat Head with 5 Cutting Nibs ★ Self Counter-sinking ★ Deep, Wide, Sharp, Threads ★ Hardened Steel 								
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	YTX-14500	Head Diam. .46” #14 x 5”	T30	16.9 lbs.	500	147	30	
	YTX-14512	Head Diam. .46” #14 x 5-1/2”	T30	18.4 lbs.	500	136	27	
	YTX-14600	Head Diam. .46” #14 x 6”	T30	20 lbs.	500	124	25	
	YTX-14700	Head Diam. .46” #14 x 7”	T30	23.25 lbs.	500	107	22	
	YTX-14800	Head Diam. .46” #14 x 8”	T30	25.5 lbs.	500	95	19	
	YTX-15100	Head Diam. .5” #15 x 10”	T30	20.3 lbs.	250	73	14	
	YTX-15120	Head Diam. .5” #15 x 12”	T30	24.3 lbs.	250			
YTX-15140	Head Diam. .5” #15 x 14”	T30	29 lbs.	250				

#7 x “Star Drive” Pocket Screws (Coarse & Fine Thread)

<ul style="list-style-type: none"> ★ Type 17 Auger Point ★ Bronze Lubed Finish ★ Deep, Sharp, Wide Threads ★ Hardened Steel ★ Great for Kreg Jig® 			(C) Coarse For Softwoods (F) Fine For Hardwoods				.372” Head Diameter	
	Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty	
	CTX7114C	#7 X 1-1/4”	T20	30.3 lbs.	6,000	992	198	
	CTX7114F	#7 X 1-1/4”	T20	30.3 lbs.	6,000	923	185	
	CTX7112C	#7 X 1-1/2”	T20	32.6 lbs.	5,000	844	170	
	CTX7112F	#7 X 1-1/2”	T20	32.6 lbs.	5,000	826	165	

“Silver Star” 305 Stainless Steel Star Drive Screws

For all coastal or corrosive environments, areas exposed to weather and high moisture; decking, docks, etc.

- ★ 305 Stainless Steel
- ★ ACQ Compatible
- ★ Deep “Star Drive” Recess
- ★ Extra Sharp Type 17 Auger
- ★ Self Countersinking Nibs
- ★ Deep, Wide, Sharp Threads
- ★ For all coastal environments



.32” - .38” Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
SSTX-08114	#8 x 1-1/4"	T20	38 lbs.	9,000	1,114	223
SSTX-08112	#8 x 1-1/2"	T20	33 lbs.	6,500	995	197
SSTX-08200	#8 x 2"	T20	22.7 lbs.	3,500	760	152
SSTX-09158	#9 x 1-5/8"	T25	24.5 lbs.	4,000	719	144
SSTX-09200	#9 x 2"	T25	22.5 lbs.	3,000	607	122
SSTX-09212	#9 x 2-1/2"	T25	23 lbs.	2,500	495	100
SSTX-09300	#9 x 3"	T25	21.5 lbs.	2,000	422	85
SSTX-10212	#10 x 2-1/2"	T25	28.5 lbs.	2,000	411	82
SSTX-10300	#10 x 3"	T25	24 lbs.	1,500	340	69
SSTX-10312	#10 x 3-1/2"	T25	19.5 lbs.	1,000	298	60
SSTX-10400	#10 x 4"	T25	17 lbs.	1,000	263	53

“Silver Star” Trim Head 305 Stainless Steel Star Drive

Less obtrusive with great holding power. For coastal or corrosive environments: siding, fascia, decking, docks, etc.

- ★ Same Features As Our Standard “Silver Star” Screws But With a .26” Head Diameter
- ★ Great for Wood or Composite Decking, Rail & Fence
- ★ Long Length Great For Log Siding



.26” Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty	1lb Jar Qty
SSTH-09158	#9 x 1-5/8"	T20	23 lbs.	4,000	835	166
SSTH-09214	#9 x 2-1/4"	T20	20 lbs.	2,500	614	122
SSTH-09212	#9 x 2-1/2"	T20	22 lbs.	2,500	546	110
SSTH-09300	#9 x 3"	T20	21.5 lbs.	2,000	465	93
SSTH-09400	#9 x 4"	T20	23 lbs.	1,500	350	71

“The screws lived up to your advertised claims in spades! I am very pleased with their quality. Other stainless screws were constantly torquing out. I wasted considerable money on mutilated screw heads. Not one of your screws failed to drive true 1st time - no waste!”

Reamer Tek Wood To Steel “Star Drive” Screws

- ★ Excellent For Truck and Trailer Beds
- ★ Flat Head
- ★ Reamer Wings
- ★ Shank Slot
- ★ Zinc Plated
- ★ Hardened Steel
- ★ For up to 1/4” thick steel
- ★ No predrilling



Item Number	Size	Drill Point	Head Diam	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty
FHD10158	10-16 x 1-5/8"	#3	.361"	T25	35.7lbs.	4,000	568
FHD12200	12-24 x 2"	#4	.396"	T25	31.8lbs.	2,000	330
FHD12212	12-24 x 2-1/2"	#4	.396"	T25	29.5lbs.	1,500	273
FHD14234	14-20 x 2-3/4"	#4	.49"	T30	27.5lbs.	1,000	181
FHD14314	14-20 x 3-1/4"	#4	.49"	T30	33.2lbs.	1,000	151
Drilling Capacity							
FHD10158	10-16 x 1-5/8"	7/8" wood to .175 metal					
FHD12200	12-24 x 2"	1-1/8" wood to .210 metal					
FHD12212	12-24 x 2-1/2"	1-1/4" wood to .210 metal					
FHD14234	14-20 x 2-3/4"	1-1/2" wood to .250 metal					
FHD14314	14-20 x 3-1/4"	2" wood to .250 metal					

Screw Products, Inc. • Toll Free: (877) 844-8880 • www.screw-products.com

9401 54th Ave NW, Bldg 1B, Gig Harbor, WA 98332 • Fax: (253) 853-8881 • info@screw-products.com • March 2011

7" Gutter Screws, Ceramic Coated Star Drive

- * #14 x 7"
- * ACQ Compatible
- * Ceramic Coated
- * Deep, Wide, Sharp Threads
- * Brown or White



.425" Head Diameter

Item Number	Size	Drive	Net Wt*	Carton Qty	Jar Qty	Other Qty
GTR147B	#14 x 7"	T30	16 lbs	250	50	Each
GTR147W	#14 x 7"	T30	16 lbs	250	50	Each

Cement Board Screws, Ceramic Coated Star Drive

- * Sharp Point
- * Deep Sharp Threads
- * Great for use with all cement boards



.409" Head Diameter

Item Number	Size	Drive Size	Net Wt*	Carton Qty	5lb Jar Qty
CB114S	#8 x 1-1/4"	T20	31.5 lbs	5,000	833
CB158S	#8 x 1-5/8"	T20	31.5 lbs	4,000	665

Tapcon Masonry Screws (Phillips) 100ct Box

- * Requires Less Torque
- * Blue Climaseal Coating
- * Fast & Easy Installation
- * Removable
- * Drill Bit Included



*3/16" Screw Head Diameter .35"
1/4" Screw Head Diameter .454"*

Item Number	Size	Drive	Net Wt*	100 Ct Box
PFH3314	3/16 x 3-1/4"	Phillips	2 lbs	(includes 5/32" Drill Bit) 100 Ct Box
PFH4314	1/4 x 3-1/4"	Phillips	3 lbs	(includes 3/16" Drill Bit) 100 Ct Box

"Star Drive" Bits

Drive	1" (25)	2" (25)	2-3/4" (10)	3-1/2" (10)	6" (10)
T10	*	*			
T15	*	*			
T20	*	*	*	*	*
T25	*	*	*	*	*
T30	*	*			
T40	*	*			

Bit Holders

2PMBH3	C-Ring 2 pc SS Magnetic Bit Holder <i>For 1" Bits Only</i>	
2PMBH6	C-Ring 2 pc SS Magnetic Bit Holder 6" <i>For 1" Bits Only</i>	
QR2	Quick Release Magnetic Bit Holder 2"	
QR3	Quick Release Magnetic Bit Holder 3"	
SPRMBH	SuperMag Magnetic Bit Holder	
SS1PMBH3	C-Ring 1 pc SS Magnetic Bit Holder <i>For 1" Bits Only</i>	

Displays



Our attractive, easy to read, color coded packaging makes selling a breeze, and promotes return customers. Our informational header card helps customers determine their best choice for fasteners. Displays can be focused to particular building requirements or can be stocked with whatever works best with your customer base. Below are some sample layouts for the display.

Woodworker Display
Stocked with our **Gold Star** line of zinc coated Star Drive screws for all your indoor projects and also includes specialty fasteners such as Lag, Cabinet, Pocket, Finish Screws.

Deckbuilder Display
Stocked with a select variety of our Star Drive **Silver Star** Stainless Steel, **Bronze Star** Coated Exterior Use, **C-Deck** Composite Deck Screws and specialty screws such as Trim Head, Fascia and Lag screws.

Stainless St. Display
Stocked with our complete line of **Silver Star** Stainless Steel Star Drive screws including flat head, trim head, and composite deck screws.

"My employees tell me that driving them is much easier on their arms and shoulders with virtually no pushing needed to keep the bit in the head of the screw. They also say that the screws back out as easy as they go in, which allows us to reuse them. They have yet to have a head twist off, strip out, or a screw break. Most contractors would agree, that not a day goes by without one of those things happening. We will highly recommend your Star Drive Wood Screws to all the contractors and do-it-yourselfers."



SCREW PRODUCTS INC.

The Ultimate Wood Screw



Here at Screw Products, Inc. we provide the most useful, reliable, and quality fasteners in the world today. The charts you see below are a summary of a complete battery of tests performed on our fasteners by Trace Laboratories. For more information on these tests, or a copy of the complete report, please call us at 1 (877) 844-8880 today.

Screw Pull Out Force (Thread Depth & LBS)*			
Screw Type	Depth	SYP	WRC
CCTX516600	2½"	1988	885
CTX 381000	3"	2626	1336.6
YTX 151000	2½"	2150	866.4
YTX 147000	2½"	1616	962.6

Screw Pull Through (LBS)*		
Screw Type	SYP	WRC
CCTX516600	2305	1844
CTX 381000	3712	1964
YTX 151000	1929	1150
YTX 147000	1722	1276

Screw Shank Shear – Metal*	
Screw Type	LBS
SSTX08200	1000
SSTH09300	1100
SSTX10400	1325
YTX08212	1500
YTX09300	2075
YTX10400	2255
CCTX516600	3700
CTX381000	3825
YTX14700	2800
YTX15100	2650

Screw Lap Shear (LBS)		
Screw Type	SYP	WRC
CCTX516600	1220	767
CTX381000	1602	1148
YTX151000	1127	997
YTX14700	1269	691

All tests performed by:
Trace Laboratories
1150 W. Euclid Avenue
Palatine, IL 60067-7368
Ph. (847) 934-5300
Fx. (847) 934-4600
www.tracelabs.com

Pull Out Testing By Material (Thread Depth & LBS)												
Screw Type	Southern Yellow Pine		Douglas Fir		Plywood		Chip Board		Particle Board		Redwood	
	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth	LBS	Depth
SSTH09300	1110	1½"	995	1½"	650	.75"	415	1"	440	¾"	292.5	¾"
THBTX09300	1375	1½"	1025	1½"	685	.75"	390	1"	392.5	¾"	307.5	¾"
YTX08212	1135	1½"	825	1½"	657	.75"	370	1"	400	¾"	312.5	¾"
SSTX09300	1250	1½"	767.5	1½"	512.6	.75"	500	1"	432.5	¾"	362.5	¾"
CCTX516400	1285	1½"	645	1½"	670	.75"	-	-	-	-	-	-
CCTX516500	2275	1½"	735	1½"	590	.75"	-	-	-	-	-	-
YTX15100	2000	1½"	862.5	1½"	630	.75"	630	1"	445	¾"	200	¾"

Average Shear Strength – Wood**	
Screw Type	LBS
YTX09300	803
YTX08212	787
YTX15800	1470
YTX151000	1665
YTX10400	1065
YTX14700	1205
YTX14512	1029
SSTX09300	655
SSTH09300	847
SSTX08200	695
SSTX10400	827

SYP: Southern Yellow Pine
WRC: Western Red Cedar

To request the full 70 page Report, please contact us by phone or email. Specific Data Sheets per test are also available.

Screws that share the same diameter and metal type will have equal values to those tested. For Example: Our SSTX09212 9x2½" will share the same shear strength as our SSTX09300 9x3"

* 5 Test Average
** 2 Test Average

