



THE ULTIMATE FASTENERS

INTERIOR

STRUCTURAL

DrJ TER 2212-01 Technical Evaluation Report available now at

www.screw-products.com



Horizon Curve™

A slight curvature of the head for elegant, professional, architectural results. The Finish Ring underneath the head also provides a better finish by cutting the top fibers in the wood for an extra step in countersinking.



Patented⁽¹⁾ Turbine Ribs cut quickly into the wood, leaving a professional, clean finish with maximum wood contact. The cup shaped, countersinking head provides increased holding power and reduced risk of splitting.

Patented(2) Twin Blades knurls cut fast to dramatically reduce friction and heat on the shank, while reducing load on the drill. They also provide better performance by removing debris faster than a standard fastener's knurl.

Fast Start Tip

With sharp threads all the way to the tip, the fastener has an immediate grip for a fast start. The inset thread cut drastically reduces the splitting effect and minimizes the driving torque needed to engage the wood.

The advanced General Purpose Structural Wood Screw for typical interior environments. Use them on any size job or project from framing to small wood working!



Available in 1lb, 5lb and 1/4 Keg All Packaging Includes Drive Bit!

WWW.SCREW-PRODUCTS.COM

Gig Harbor, WA • Bradenton, FL Toll-Free 1-877-844-8880

THE ULTIMATE FASTENERS



The AXIS™ Structural Wood Screw is the next step in fastener design. Every facet has been evaluated and improved. Our extra sharp Fast Start Tip saves you time onsite and the Twin Blades™ outperform the competitor's knurls. The Self-Tapping Thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs™ ensure an incredibly clean finish. Its cup shaped, countersinking head, provides unparalleled holding power and less risk of splitting the wood. The Horizon Curve™ Head has been architecturally engineered to leave an elegant finish.







TYPICAL INTERIOR USE


ZYTEC™+ Coating: Compatible for use in a wide variety of interior wood applications. Its use is limited to interior untreated lumber. Always follow timber manufacturer's recommendations for fasteners.

Common Applications

- Commercial & residential
- General indoor jobs
- Remodeling and repair
- Interior framing
- Trim work & Cabinetry
- Windows and doors
- Post and beam & much more!

Sizes Available: #8 x 1" to #10 x 6"

General Info					
Type of Screw		General Purpose Structural Wood			
Material		Heat Treated, Hardened Steel			
Coating		ZYTEC™ +			
Head Style		Countersinking TX20 Star Drive			
Point Type		Modified Type 17			
Construction			#8	#9	#10
Head diameter (inch)			0.323	0.350	0.386
Minor thread diameter			0.106	0.122	0.136
Major thread diameter			0.165	0.183	0.211
Shaft diameter			0.122	0.136	0.154
Drive Size			TX20	TX20	TX20
Product Range			Approx Count per 1lb		
Length	Thread		#8	#9	#10
1"	3/4"		253		
1-1/4"	7/8"		214		
1-1/2"	1"		181		111
1-3/4"	1-1/8"		159		
2"	1-1/4"		146	112	85
2-1/2"	1-1/2"		118	92	70
2-3/4"	1-1/2"			83	
3"	1-1/2"			78	59
3-1/2"	2"				51
4"	2"				46
5"	2-1/2"				37



THE ULTIMATE FASTENERS